

## PRICE LIST-RUG9 MODELS

August 24, 2022

ORDER CODE	DESCRIPTION	PRICE
	UNITS:	
RUG9A	Base unitcage/CPU, no I/Oadd boards below	\$1038
RUG9B	Base LCD unitcage/CPU, LCD, no I/Oadd boards below	\$1,713
RUG9C	Full telemetry unitcage/CPU, modem, 8 AI, 16 DI, 8 DO, loop/chgr	\$2,080
RUG9D	Full telemetry LCD unitcage/CPU, LCD, modem, 8 AI, 16 DI, 8 DO, loop/chgr	\$2,755
RUG9G	Full master dialercage/CPU, LCD, dialer, modem, 8 AI, 16 DI, 8 DO, loop/chgr	\$3,294
	EXPANSION BOARDS & ACCESSORIES:	
R9CAGE	Expansion card cage with mother board, 9 slots, includes 6 inch cable to prev cage	\$617
CBL	Serial cable to connect R9/R5 programming port to PC, DB9F to DB9M, 6 ft.	\$22
CBLUSB	USB cable, 5 conductor, std USB to USB mini, 6 ft.	\$22
CBL-LCD-SHLD18	LCD2 display cable, 18", shielded	\$38
CBL-LCD-SHLD2	LCD2 display cable, 2', shielded	\$39
CBL-LCD-SHLD3	LCD2 display cable, 3', shielded	\$44
CBL-LCD-SHLD4	LCD2 display cable, 4', shielded	\$52
CBL-LCD-SHLD5	LCD2 display cable, 5', shielded	\$58
LCD2-XX	Sunlight readable LCD module, 20 line by 40 char LED backlit LCD with 16 key kb, remote mount; XX = cable length in inches. **cable length greater than 2 ft. requires shielded cable	\$675
LCD2H	Sunlight readable LCD module, 20 line by 40 char LED backlit LCD with 16 key kb, hinge-mounted to card cage, 9 in. cable included	\$710
R9AI4/16	Analog input board, 4 channels fully optically isolated, 16 bit resolution	\$309
R9AI8	Analog input board, 8 common channels optically isolated from bus, 12 bit	\$194
R9AO4	Analog output board, 4 optically isolated channels, 12 bit	\$339
R9COMBO	Combination optically isolated I/O: 2-12 bit analog in, 4 DI, 2 relays, loop supply	\$272
R9CPU	CPU board, 256K battery backed RAM, RTC, 512K flash, RS232/USB, display interface	\$445
R9DI8	Digital in board, 8 common channels optically isolated from bus, 24 VDC, 120 VAC	\$105
R9DI8-FAST	High-speed digital in board, 8 common channels optically isolated from bus, 5-24 VDC, pulse frequency up to 5 KHz	\$272
R9DI8ISO	Digital in board, 8 fully isolated channels, 24 VDC, 120 VAC	\$121
R9DIAL	Speech autodialer board, 4 minutes speech storage in flash	\$539
R9DIGI-900-1W	DIGI 900MHz, 1W radio board	\$549
R9DO8	Relay output board, 8 common channels, 3 amp 250 VAC/30 VDC	\$162
R9DO8-SR	Solid-State relay output board, 8 common channels, 0.5 amp, 48 VDC	\$162
R9DO8ISO	Relay output board, 8 isolated channels, 10 amp 250 VAC/30 VDC	\$187
R9DUAL-SERIAL	Dual RS232/RS485	\$258
R9FLSH	Flash disk interface board	\$154
R9LOOP	Isolated loop power supply/charger/diagnostic board, 24 VDC, 500 mA.	\$219
R9MDM	Modem/RS232 board, 300/1200 baud, 4 wire or 2 wire, Bell 103/212	\$257
R9MTHR	Mother board	\$340
R9SLEEP	Sleep mode controller board	\$345
WT	12 VAC, 1 amp wall transformer	\$26

RUGID – An Outside The Box Engineering, LLC Brand, 25587 Conifer Rd, Ste. 105-126, Conifer, CO 80433 360-866-4492, www.rugidcomputer.com Orders ship 2 weeks ARO. Terms are credit card/COD unless credit established with us in advance. Freight is FOB factory and will be prepaid and added to the invoice. All prices in U.S. dollars. Prices are subject to change without notice. For full terms of sale visit <u>http://rugidcomputer.com/terms.htm</u>.